

	Hits	Search Text	DBs
1	49	("5475757" "6016348" "6209097" "5008935" "5737424" "6073236" "6118872" "6125186" "6396926" "6411712" "4423287" "5878135" "5191611" "5418854" "5497421" "5710817" "5933500" "5977997" "6061449" "6061449" "6092191" "6185680" "6240514" "6240516" "4578530" "4757533" "4771458" "4780828" "4870681" "4876718" "4944006" "4975867"	USPAT
2	10	sato-ryuji.in.	USPAT; US-PGPUB
3	162	713/190.ccls.	USPAT; US-PGPUB
4	15	4905277.URPN.	USPAT
5	223	(software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) same (prevent\$3 or illegal\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	97	(software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) with (prevent\$3 or illegal\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

BEST AVAILABLE COPY

	Hits	Search Text	DBs
7	43	((software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) with (prevent\$3 or illegal\$2)) and ((software or program\$1 or code or module\$1) near4 (encrypt\$3 or encod\$3 or cipher\$ or decrypt\$3 or decod\$3 or decipher\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	24	((each near2 other) or reciprocal\$2) near3 (encrypt\$3 or decrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	5211	(partial or half) near3 (encrypt\$3 or encod\$3 or cipher\$ or decrypt\$3 or decod\$3 or decipher\$3)	USPAT
10	131	(partial or half) near3 (encrypt\$3 or decrypt\$3)	USPAT
11	244	(tamper\$1resistant or "tamper resistant") near3 (software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	33	((tamper\$1resistant or "tamper resistant") near3 (software or program)) and (((code or program) near2 module\$1) with (encrypt\$3 or decrypt\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	176	380/33.ccls.	USPAT; US-PGPUB
14	2	380/33.ccls. and (((plural\$ or multiple) near2 (path\$1 or channel\$)) with ((plural\$ or multiple) near2 program\$1))	USPAT; US-PGPUB
15	322	380/37.ccls.	USPAT; US-PGPUB
16	9	380/37.ccls. and ((plural\$ or multiple) near3 ((encrypt\$3 or cryptograph\$) near2 algorithm))	USPAT; US-PGPUB
17	369	(encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	30	((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and ((first near3 program) with (second near3 program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	8	(first near3 (decrypt\$3 near program)) with (second near3 (decrypt\$3 near program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	0	(decrypt\$3 or decod\$3) with "each other"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	369	(encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

BEST AVAILABLE COPY

	Hits	Search Text	DBs
22	4	((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and ((prevent\$3 or illegal\$) near3 (dynamic\$4 or reverse))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	53	((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	2	5892899.pn. or 6205550.pn.	USPAT
25	103	(second near3 (decryption near (program or module or algorithm)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	17	second near3 "decryption program"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	7	((common or shared) near area) with ((code or program) near module\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	31	((common or shared) near (area or use\$3)) with ((code or program) near module\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	88	((common or shared) near area) with module\$1	USPAT
30	3825	713/189-190,193-194,200.ccls.	USPAT; US-PGPUB
31	79	713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program))	USPAT; US-PGPUB
32	42	(713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module\$1 or sub\$1program))	USPAT; US-PGPUB
33	42	((713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module\$1 or sub\$1program))) and (encrypt\$3 or encod\$3)	USPAT; US-PGPUB
34	39	713/189-190,193-194,200.ccls. and ((software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) same (prevent\$3 or illegal\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	111	713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program or module))	USPAT; US-PGPUB

BEST AVAILABLE COPY

	Hits	Search Text	DBs
36	4	(713/189-190,193-194,200.ccls. and ((tamper\$lresistant or "tamper resistant") near3 (software or program or module))) and (elapsed near3 time with execut\$3)	USPAT; US-PGPUB
37	0	(713/189-190,193-194,200.ccls. and ((tamper\$lresistant or "tamper resistant") near3 (software or program or module))) and (wait\$3 near3 time with execut\$3)	USPAT; US-PGPUB
38	4	(713/189-190,193-194,200.ccls. and ((tamper\$lresistant or "tamper resistant") near3 (software or program or module))) and (((wait\$3 near3 time) or synchroniz\$5) same execut\$3)	USPAT; US-PGPUB
39	1	("6779114").PN.	USPAT
40	2	cloakware.as.	USPAT; US-PGPUB
41	1272	synchroniz\$ with (crypto\$ or encrypt\$ or decrypt\$3)	USPAT; US-PGPUB
42	651	synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3)	USPAT; US-PGPUB
43	3	synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) with wait	USPAT; US-PGPUB
44	16	synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) with execut\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

BEST AVAILABLE COPY